

Integral Venetian Blinds Control System Options

Integral, venetian blinds offered by Exeter Trade Aluminium are enclosed within the double glazed sealed unit, and are manufactured by the UK's leading brand, Uni-Blinds.

The blind slats are designed with a minimal width so they can fit comfortably between the panes of glass in the most common sized double glazed units – usually 20mm, 22mm or 27mm.

Being sealed inside the glass means they require a blind control system, of which there are several options, as detailed below:

SV System (Cordless Slider)

The SV System is a manually operated blind which features a single magnetic slider to control the whole operation. Positioned on a narrow, adhesive transparent slide guide on the edge of the sealed unit, the cordless slider integral blind control system allows the blind to be raised, lowered and tilted with ease, cord free.



SV+ Symmetrical System (Cordless Slider)

The SV+ Symmetrical System System operates in the same way as the SV System above. The core difference is the addition of a “dummy” sideguide to the edge of the glass opposite to that housing the blind guide, giving symmetry to the sealed unit.



C System (Corded Slider)

The C System is a manually operated blind which is controlled using a rotational cord winder looped between a magnet at the top of the unit which is fixed to the internal glass by high performance adhesive, and a cord tensioner at the bottom. The cord, held lightly at tension, controls the raising, lowering and tilting of the blind.



W Smart System (Battery Operated)

The W Smart System is a battery operated, motorised blind system, ideal for retrofitting as it does not need to be hard wired to the mains. The blind is raised, lowered and tilted using the control device attached to the glass, by simply touching the LED illuminated arrows. An optional remote control device is also available.

The system is powered by long-life rechargeable batteries which have a built-in mains battery charger. Where the window or door is subjected to regular sunlight, an external solar panel can be applied which allows the battery to be topped up by the sun.



MB Smart System (Motorised Operated)

The MB System is a motorised blind system featuring an internal motor integrated within the blind headrail and incorporating a micro-control unit plus encoder, allowing for the simultaneous synchronised movement of groups of blinds.

A unique control box eliminates installation issues and provides an aesthetically pleasing solution for control at your fingertips. The control boxes are supplied pre-wired and fully tested, making for a smooth, problem-free installation.

No other control device is applied on glass or window frame, since the motor is activated by means of wall-mounted push buttons or remote control.

Note: This is a mains wired system

